

Harden





wall: Harden Grey_Ivory Curve 29,75x89,46 cm
floor: Harden Grey Natural 44,63x89,46 cm_Harden Grey Nat Grad.

Harden



Harden Ivory
29,75x89,46 cm - 11,71"x35,22"




Harden Grey
29,75x89,46 cm - 11,71"x35,22"




Harden Ivory Curve*
29,75x89,46 cm - 11,71"x35,22"




Harden Grey Curve*
29,75x89,46 cm - 11,71"x35,22"



Harden Ivory Mosaico 5x5
29,75x29,75 cm
11,71"x11,71"



Harden Ivory Decor Mosaico 5x5
29,75x29,75 cm
11,71"x11,71"



Harden Grey Mosaico 5x5
29,75x29,75 cm
11,71"x11,71"



Harden Grey Decor Mosaico 5x5
29,75x29,75 cm
11,71"x11,71"



Neutral Gold Curve*
29,75x89,46 cm - 11,71"x35,22"



Neutral Silver Curve*
29,75x89,46 cm - 11,71"x35,22"



Main Gold - Silver - Walnut - Grey Lista
1,5x89,46 cm - 0,59"x35,22"



Vita Mate Lista
1,5x89,46 cm - 0,79"x35,22"



Neutral Copper Curve*
29,75x89,46 cm - 11,71"x35,22"



*Side View Corner 30 /
Perfil Corner 30

Harden Corner 30*
2x29,75 cm
0,79"x11,71" G-2085

* available in all colours of collection /
disponible en todos los colores de la colección

*Relief with a fixed position when tiling /
Relieve con posición en la colocación



Content of recycled material
Contenido de material reciclado



Physical Vapor Deposition (PVD)

Pvd is a field in the application of nanotechnology. The process consists of depositing layers of atoms, inside a vacuum chamber, to a solid surface. The layering is produced by the condensation of a vaporized metal (such as gold, titanium, platinum etc.) over the selected surface.

Advantages: High resistance to abrasion and scratches; much higher than metals applied by firing.







As a general rule, any non-aggressive, pH neutral product have to be used. Do not mix pieces from different lots

El PVD es uno de los campos de aplicación de la nanotecnología. El proceso consiste en depositar capas de átomos, en una cámara de alto vacío, sobre una superficie sólida. El recubrimiento se produce por la condensación de un metal vaporizado, oro, titanio, platino, ect, sobre el material a recubrir.

Ventajas: Mayor resistencia al rayado y a la abrasión que los metales aplicados por cocción.


Para la limpieza de estos materiales deben utilizarse productos no agresivos con pH neutro. No mezclar piezas de diferentes lotes

Series	Format&Thickness	Unit	Boxes/Pallet	m ² /Pallet	m ² /Box	Pieces/Box	Kg/Pallet	Kg/Box
Harden 30x90	29,75x89,46x0,75	m ²	40	63,88	1,597	6	948,24	23,13
Harden Curve 30x90	29,75x89,46x0,75	m ²	36	57,492	1,597	6	855,716	23,13
Harden Corner-30	2x29,75	pz	144	15,408	0,107	18	232,88	1,52
Harden Mosaico 5x5	29,75x29,75	m ²	36	31,86	0,885	10	392,18	10,505
Harden Mos.Decor 5x5	29,75x29,75	m ²	36	31,86	0,885	10	676,94	18,415
Vita Lista	1,50x89,46	pz	36	48,312	1,342	100	380,55	10,18
Main Lista	1,5x89,46	pz	36	8,712	0,242	18	185	12,93
Neutral Silver/Gold/Cooper Curve	29,75x89,46x0,75	pz	18	28,75	1,197	6	424	12,303


- 
Wall Tiles
Revestimiento
- 
White Body
Pasta Blanca
- 
Double firing
Bicocción
- 
Rectified
Rectificado
- 
Moderate variation
Moderada variación
-  0,75 cm
Thickness
Espesor

Matching floor tiles / Pavimento coordinado



Harden Ivory Natural 
44,63x89,46 cm G-3286
17,57"x35,22"



Harden Grey Natural 
44,63x89,46 cm G-3286
17,57"x35,22"

◀ **SEE FLOOR TILE COLLECTION ON PAGE 55**
VER COLECCIÓN COMPLETA DE PAVIMENTO EN LA PÁGINA 55



Wall: Harden Ivory Curve 29,75x89,46 cm